

(19)



Europäisches Patentamt  
European Patent Office  
Office européen des brevets



(11)

**EP 0 860 980 B1**

(12)

**EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention  
of the grant of the patent:  
**08.10.2003 Bulletin 2003/41**

(51) Int Cl.7: **H04N 1/21**

(21) Application number: **98200348.5**

(22) Date of filing: **05.02.1998**

(54) **Electronic camera with "utilization" selection capability**

Elektronische Kamera mit Verwendungsselektionsfähigkeit

Caméra électronique avec capacité de sélection d'utilisation

(84) Designated Contracting States:  
**DE FR GB**

(30) Priority: **20.02.1997 US 37963 P**  
**24.11.1997 US 977382**

(43) Date of publication of application:  
**26.08.1998 Bulletin 1998/35**

(60) Divisional application:  
**03011587.7 / 1 337 101**

(73) Proprietor: **EASTMAN KODAK COMPANY**  
**Rochester, New York 14650 (US)**

(72) Inventors:  
• **Parulski, Kenneth A.,**  
**c/o Eastman Kodak Company**  
**Rochester, New York 14650-2201 (US)**

• **Ward, Joseph, c/o Eastman Kodak Company**  
**Rochester, New York 14650-2201 (US)**  
• **Hopwood, Michael C.,**  
**c/o Eastman Kodak Company**  
**Rochester, New York 14650-2201 (US)**

(74) Representative: **Weber, Etienne Nicolas et al**  
**Kodak Industrie,**  
**Département Brevets,**  
**CRT,**  
**Zone Industrielle**  
**71102 Chalon sur Saône Cedex (FR)**

(56) References cited:  
**EP-A- 0 920 184** **GB-A- 2 286 944**  
**US-A- 4 574 319** **US-A- 4 655 577**

**EP 0 860 980 B1**

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

**Description****CROSS-REFERENCE TO RELATED APPLICATION(S)**

- 5 [0001] Reference is made to commonly assigned copending applications publication numbers US-A-2001 022618 and US-A-2001 010543, entitled "Network Configuration File for Automatically Transmitting Images from an Electronic Still Camera" and filed on the same date herewith in the names of Joseph Ward, Kenneth A. Parulski, and James D. Allen, and which is assigned to the assignee of this application.

10 **FIELD OF THE INVENTION**

[0002] The invention relates generally to the field of photography, and in particular to electronic photography. More specifically, the invention relates to a digital camera that can be interfaced with a host computer.

15 **BACKGROUND OF THE INVENTION**

[0003] Digital cameras, such as the Kodak Digital Science DC25™ camera, allow images to be utilized on a home computer (PC) and to be incorporated into e-mail documents and personal home pages on the World Wide Web. Presently, if a print is desired, each image must first be copied to the PC and then individually printed. The user is  
20 required to manually select each image to be printed, and manually decide how big each print should be and how many prints to make of each image.

[0004] In addition, it is possible for users to electronically send images to others using software, such as the Kodak Digital Science Picture Postcard Software™. However, this again requires the user to manually download each image to the host computer, select each image to be transmitted, and create a new "Postcard" for each image to be sent.  
25 Users can also create "albums" of photos on their computers using software such as the Family Album Creator™ by Creative Wonders, Inc. Again, however, this is a manual process that requires each image to be downloaded to the computer, individually selected, and added to the album.

[0005] In U.S. Patent 5,241,659, reprint information can be generated at the time a PhotoCD disc is played back. This patent describes an EEPROM card that can be inserted into a PhotoCD player. As shown in Figs. 3, 5, and 6 of  
30 this patent, the EEPROM card can contain reprint order information and "album disc" information input by the player operator. However, this information is not generated at the time of picture taking, and is not stored on the same media as the images. Moreover, the reprint information does not include information useful to the service provider, such as user account, charge card, mailing address, etc.

[0006] U.S. Patent No. 4,574,319 teaches an electronic camera having an electronic memo, in which data can be  
35 recorded on the same recording medium on which the image information is recorded. However, this data is stored in an image header, and therefore, is specific to a particular image. This data does not provide any information regarding identifying digital image files stored on the same media to be printed.

[0007] GB 2 286 944 A teaches a film scanner which obtains image data from photographic negatives or slides, and the desired prints can be selected. However, the prints are ordered at a separate station from the camera, and not at  
40 the time of picture taking. What is needed is a way for camera users to quickly and easily compose "print orders" and "transmission orders" and/or "electronic alburning" orders, at the time they capture their images.

**SUMMARY OF THE INVENTION**

45 [0008] The present invention, as defined in the appended claims, is directed to overcoming one or more of the problems set forth above. Briefly summarized, according to one aspect of the present invention, the camera and system of our invention meets this need by allowing the user to select "downstream" services at the time of capture, using the camera's LCD screen and user interface. The digital camera includes a liquid crystal display (LCD) for viewing images captured from a CCD sensor and stored on a removable memory card. The LCD also presents a user interface (UI)  
50 that allows the user to create a print order "utilization file". As individual images are viewed, the user can decide how many (if any) prints to make of the image, the print size, and the print quality (low cost ink jet versus high quality thermal prints, for example). The memory card can then be inserted in a home printer, walk-up kiosk, or dropped off/mailed to a photofinisher, or the camera itself can be connected to the printer or kiosk via a wired or wireless (e.g., IrDA) link. The printer order can then be automatically produced without any additional user intervention.

55 [0009] Alternately, a modem in the camera or card reader can transmit the utilization file and the image data to a print service provider, which can produce the prints and return them via mail to the user, or to a party designated by the user. The utilization file can alternately include e-mail addresses to allow images to be automatically sent to others, postal address information for sending print images, or alburning information to allow images to be placed in an on-

line image database.

#### **BRIEF DESCRIPTION OF THE DRAWINGS**

FIG. 1 is a block diagram of the system according to the invention.

FIG. 2 is a diagram of downstream services available in the system shown in Figure 1.

FIG. 3 is an illustration of one example of a creative background added to an image.

FIG. 4 is a diagram of the organization of a utilization file.

#### **DETAILED DESCRIPTION OF THE INVENTION**

[0010] Because imaging systems and devices are well known, the present description will be directed in particular to elements forming part of, or cooperating more directly with, apparatus in accordance with the present invention. Elements not specifically shown or described herein may be selected from those known in the art. Some aspects of the present description may be implemented in software. Unless otherwise specified, all software implementation is conventional and within the ordinary skill in the programming arts.

[0011] A system block diagram of the invention is shown in Figure 1, and includes a user's host computer(PC) 10, a digital camera 12, equipment located at a "downstream" service provider 14, and equipment at a walk-up kiosk 16. The camera 12 includes an optical section 18 for imaging a scene upon an image sensor 20 and generating an image signal, an A/D converter 22 for digitizing the image signal, a liquid crystal display (LCD screen) 24 for displaying images and other information, a number of user input buttons 26, and both internal memory 32 and a removable memory card 36 for storing captured images. The camera may optionally include an internal communications interface 28 (e.g. modem). A microprocessor 29 generally controls the operation of the camera 12, and interchanges data through a memory card interface 34 with the memory card 36, through a PC interface 38 with the host computer 10, through a host interface 30 directly with the kiosk 16, and through the communications interface 28 and a communications network 31 with the service provider 14.

[0012] When the camera is purchased, it is provided with a software application (located on a disc 40) for running on the user's host PC 10 that enables the user to specify the name(s) of downstream service providers, network addresses (friends, family or business associates) and related account information such as billing information (charge card number, mailing addresses, etc.). The user can also select, through the software application, one or more "creative backgrounds" offered by the service provider (such as a postcard border) and enter one or more text messages, (such as "Hi, I'm having a relaxing vacation, John Smith"), as will be described in connection with Figure 3. All of this information can then be downloaded, via a memory card reader 42 on the host PC 10, to the removable memory card 36, which can be subsequently inserted into the camera. Alternatively, the information can be downloaded to the camera 12 via the host PC interface 38 and written to the camera's internal memory 32 or the removable memory card 36 in the camera. Typically, keyword descriptors accompany the information to enable easy access by the camera user.

[0013] After placing the memory card 36 in the camera (or disconnecting the camera from the host PC 10), the user can operate the camera 12 to take numerous pictures, which are stored either in the internal memory 32 or in the memory card 36 (or in both). After taking pictures, the user reviews the images on the LCD screen 24, using the buttons 26 to scroll through the images. The user can then select the desired "downstream services" (printing, e-mailing, and/or albuming) and compose the order using the options listed in Figure 2. These services and options are accessed from the memory card 36 and, for example, the keyword descriptors are assembled in a menu and displayed on the LCD screen 24. Selections among these services and options are made, for example, by reference to the keyword descriptors and actuation of the user buttons 26. The details of the order information is written into a "utilization" file generated by the camera that identifies the order and includes pointers to the image files that store the images required to "fulfill" the order. The "utilization" file is stored in the internal memory 32 or the memory card 36.

[0014] For printing, order composition involves selecting the quantity, print size, and quality level (e.g., thermal or ink jet) of the images to be printed. For example, the user might choose one "standard" (4" x 6" size) image of 2 different images, and 2 standard size images plus one "enlargement" (8" x 10" size) image of their "favorite" vacation image. The print order information is provided in the utilization file that identifies the order and includes pointers to the image files that store the images required to "fulfill" the print order. In addition to "normal" type prints, the prints can be "creative" prints, using one of the creative backgrounds selected on the host computer and downloaded to the camera along with text. In this case, the "favorite" image might be surrounded with one of the border and captions provided via the host PC 10, as shown in Figure 3.

[0015] The user can then take or mail the image memory card 36 containing the image files and order information (utilization file) to the print service provider 14. The provider reads the information, fills the print order, and returns the print order either for pick-up by the user or by mail. The service provider 14 charges the user's credit card account (which can be stored in the print order information file) for the prints provided. Alternately, the user can place the card 36 in a slot 50 of a "walk-up kiosk" 16 along with a credit card. The kiosk can then automatically produce the prints

required while minimizing the amount of user interaction required. Finally, the user could place the card in a home printer 48, and the printer could automatically produce the quantity of prints of each image required. In the last two cases, the size and quality of print types available might be limited to those available by the kiosk 16 or the home printer 48.

**[0016]** Alternately, the camera could incorporate or be connected to a wired or wireless modem, such as the communications interface 28. In this case, the print order information, and the image information needed to fulfill the print order, would be transmitted to the service provider 14 along with the account information through the communication network 31 (which could be a wired or wireless network). The service provider 14 would print the order and mail the prints back to the user.

**[0017]** Instead of, or in addition to, composing a print order, the user may choose to transmit one or more images to others. These images can include the "creative" images and/or text described above. The user selects the images and the person(s) who will receive them, from the group of addresses loaded into the camera via the process described earlier (the software application running on the home PC 10). The e-mail order information is provided in the utilization file that gives the e-mail address and includes pointers to the image files that store the images required to "fulfill" the e-mail order.

**[0018]** If the camera includes a transmitter, e.g., a cellular connection in the communications interface 28, the camera could include and initiate a "send" command that the user would enable after completing the e-mail order. This command would automatically send the appropriate images to the appropriate user's e-mail accounts through the network 31 using the appropriate communications protocol (FTP, mailto, etc.). Alternately, the camera can be placed in a docking unit (not shown) containing the modem. The images can then be automatically transmitted to the service provider 14, when the camera is inserted into the dock. Alternately, the memory card 36 could be removed from the camera and placed in a kiosk, which would then transmit the images and bill the user's charge card.

**[0019]** Instead of, or in addition to, composing a print order and/or an e-mail order, the user may choose to transmit one or more images to their "electronic photo album" account, which could be maintained by the service provider 14 (or alternately could be maintained on the user's home computer 10) in an image "album" storage 52. In this case, the user selects the images to be transferred to their photo album, and optionally selects what group of users might be allowed to view the images. The groups may include "Self only", "Self plus immediate family only", and "All" (family, friends, etc.) The information may include text, which may be input and selected as described in U.S. Patent No. 5,633,678, "An Electronic Still Camera for Capturing and Categorizing Images", filed December 20, 1995, and assigned to the assignee of the present application, and which is incorporated herein by reference.

**[0020]** Instead of having the camera 12 communicate directly to the "downstream" service provider 14 over the communications network 31, the communications network 31 from the camera 12 could alternately be connected to an internet service provider (ISP) (not shown) such as AOL (America On Line), Earthlink, Eznet, etc. The "downstream" service provider 14 would then be connected to all ISPs via the internet, eliminating the need to maintain a separate communications network. The ISP would transfer the utilization file data and images needed to order prints and album images to the downstream service provider. The ISP could itself handle e-mailing of images to other users, using the data and images in the utilization file.

**[0021]** The utilization order information is provided in the utilization file. The general file organization is shown in Figure 4, and a detailed example of the file contents of an elaborate utilization file is given in Appendix I. This file may be encrypted to prevent unauthorized use of the sensitive information, such as the user's credit card number. Referring to Appendix I, a Global information section (lines 2-26) provides the customer information (name, address, credit card), as well as the time the order was placed, and whether it has been processed or not.

**[0022]** The file may contain one or more Print Order sections. For example, lines 28-37 describe a print order of "standard" size (4" x 6") prints of the images made on a silver halide based CRT printer. Line 34 indicates that two copies of the image referenced in line 33 will be printed, while only one copy of the images referenced in lines 35-36 is printed. A second print order section (lines 39-55) indicates a large size print (24" x 36") should be made on a silver halide printer and mounted in particular in a walnut frame. This printer should be sent via UPS to the address shown in lines 47-52. The image is the composite shown in Figure 3, which is described in the CreativeDetail section (lines 76-90).

**[0023]** An e-mail order section (lines 57-65) provides the e-mail address and a list of images that should be sent to this address. An album order section (lines 67-72) provides a means for adding images to the users on-line photo album. The user can classify the images under a particular heading (e.g., "vacation images") and indicate who is allowed to access the images via the internet.

**[0024]** A Creative Detail section (lines 74-90) defines each creative image, such as the image in Figure 3. It also described user defined text (line 81). Multiple templates and user text options may be downloaded from the host computer to a memory card that is then inserted into the camera, prior to taking pictures. The template (background) may be an identification code that is only added, for example, during printing. In this case, the template is not viewed when the image is displayed on the camera. Alternately, a low resolution version of the templates desired by the user can

be stored in the camera, so that the user can preview the final composite image. A high resolution version of the template can be used by the service provider to print the final composite image. The user may decide to crop and rotate the image (lines 86-87) prior to inserting it into the creative background.

[0025] Finally, an image detail section (92-102) described the file type (e.g., FlashPix, JPEG, TIFF) and location of each image. In this example, the three images are all FlashPix images located on the memory card "Local Card" in the "vacation" folder.

[0026] Most of the information in GlobalInfo and CreativeDetail sections of the digital camera utilization file, for example the addresses and creative text, is downloaded from the host computer to the camera prior to picture taking. After reviewing the images, the user uses the image LCD and user interface to select which images to print, e-mail, and album. The print size, e-mail, albuming, and creative options are offered by pull-down menus that match the options provided by the service providers they have selected on the computer and downloaded to the camera (via the card). The full utilization file (Print order, e-mail order, etc.) is then created by the camera based on the user selections.

[0027] A much simpler print utilization file is shown in Appendix II. In this case, the camera simply allows a print order to be created. The memory card 36 containing the images and the simple utilization file is then inserted into the home PC 10, the home printer, or the walk-up kiosk 16 or sent to a service provider via a communications interface. The proper number of each selected image is then automatically printed, without further user intervention.

[0028] The invention has been described with reference to a preferred embodiment. However, it will be appreciated that variations and modifications can be effected by a person of ordinary skill in the art without departing from the scope of the invention.

#### APPENDIX I: DIGITAL CAMERA UTILIZATION FILE

[0029]

00000000 UTILIZATION ORDER SPECIFICATION (Non-zero initial number identifies encryption key)

%Section: GlobalInfo

%Section: ConsumerInfo (Provides info on camera owner and default mailing address)

%Name: ~Smith~John~W~

%Consumer ID: Njj1007

%Address: ~1 Picture Avenue~

~Apartment 8b~

~PO Box 123~

~Anytown~

~State~

%PostalCode:~14650~

%CountryCode:USA

%Email:~jdoe@kodak.com~

%PhoneDay: ~(716) 555-1111~

%PhoneNight: ~(716) 555-2222~

%CreditCardExpDate: 1996 03 24

%CreditCardNumber: 3030445643345

%CreditCardType: AmericanExpress

%EndSection: ConsumerInfo

%Section: OrderInfo (Provides information on when utilization file was created)

%Date: 1996 2 28

%Time: 14 22 29

%Processed: 0 (1 Indicates that this utilization order was processed)

%EndSection: OrderInfo

%EndSection: GlobalInfo

%Section: PrintOrder (Lists the images in a print order)

%Section: FinishInfo

%ImageOutputSize: 4 6 Inches (This example is for standard size prints)

%MediaClass: AgX 20 EN34 Glossy

%EndSection: FinishInfo

%ImageRef: ImageDetail1 (Points to images defined below)

%Quantity:2 (Optionally indicates number of copies, default=1)

%ImageRef: ImageDetail2

%ImageRef: ImageDetail3

%EndSection: PrintOrder

%Section: PrintOrder

%Section: FinishInfo

%ImageOutputSize: 24 36 Inches (This example is for a large creative print)

%MediaClass: AgX 20 EN34 Glossy

%FrameType: F134 Walnut

%EndSection: FinishInfo

%Section: ShippingInfo (Instructions to ship to an address other than the one in GlobalInfo)

%ShippingCarrier: UPS

%Name: ~Good~Johnny~B~

%Address: ~1 Song Street~

```

                                -Mytown-
                                -State-
                                %PostalCode: ~00111~
5                                %CountryCode: USA
                                %EndSection: ShippingInfo
                                %ImageRef: CreativeDetail1 (Points to creative defined below)
                                %EndSection: PrintOrder

10                                %Section: EmailOrder (Sends images via e-mail)

                                %Section: AddressInfo (Instructions to ship to an address other than the one in
                                GlobalInfo)

15                                %Name: ~Good~--Johnny~--B~
                                %Email: ~jgood@localnet.net~

                                %EndSection: AddressInfo

20                                %ImageRef: CreativeDetail1 (Points to creative defined below)
                                %ImageRef: ImageDetail2
                                %ImageRef: ImageDetail3

25                                %EndSection: EmailOrder

                                %Section: AlbumOrder (Add these images to on-line photo album)

                                %AlbumHeading: ~Vacation images~ (Place images under "vacation" album heading)
30                                %AlbumViewing: All (gives access to all authorized album viewers)
                                %ImageRef: CreativeDetail1 (Points to creative defined below)
                                %ImageRef: ImageDetail2
35                                %EndSection: AlbumOrder

                                %Section: CreativeDetail 1 (Describes each composite image)
40                                %LayoutRef: T12345 (Indicates template ID or template image file)

                                %Section: PageInfo
45                                %PageRef: 0

                                %Section: TextInfo (Indicates what text appears in the template)
                                %TextNodeRef: 1
50                                %ConsumerText: ~Hi, I'm having a relaxing time on vacation. John Smith

                                %EndSection: TextInfo

                                %Section: ImageInfo (Indicates which images(s) appear in template)
55                                %ImageNodeRef: 2

```

```

%ImageDetailRef: 1
%CropRect: 256 0 768 1280 (Cropped image top, left, width, height)
5      %Rotate: 90 (Indicates rotation in degrees clockwise).

%EndSection: ImageInfo
%EndSection: PageInfo
10 %EndSection: CreativeDetail

%Section: ImageData (Describes each image, may be referenced multiple times)
15 %Section: ImageDetail 1
    %FileType: FlashPix Version 2.0
    %ImageLocation: LocalCard-Vacation/Image4.FPX-
20 %Section: ImageDetail 2
    %FileType: FlashPix Version 2.0
    %ImageLocation: LocalCard-Vacation/Image7.FPX-
25 %Section: ImageDetail 3
    %FileType: FlashPix Version 2.0
    %ImageLocation: LocalCard-Vacation/Image10.FPX-
30 %EndSection: ImageData
%EndSection: ImageData
35

```

## APPENDIX II: SIMPLE PRINT ORDER UTILIZATION FILE

[0030]

```

40 %Section: PrintOrder (Lists the images in a print order)
    Image4.FPX 1 (One copy of image 4)
    Image7.FPX 2 (Two copies of image 7)
    Image10.FPX 1
    Image12.FPX 4
    Image13.FPX 1
45 %EndSection: PrintOrder

```

## Claims

1. A self-contained electronic still camera (12) for capturing, displaying and selecting images to be printed by a separate printing device, the electronic still camera comprising:

- (a) an image sensor (20) for capturing a plurality of images of scenes and for producing image signals representative of the corresponding scenes;
- (b) an analog-to-digital converter (22) for digitizing the image signals to produce digital images;



(c) a removable memory card (36) for storing a plurality of digital image files corresponding to the digital images;  
 (d) an internal memory (32) for storing at least one digital image to be displayed;  
 (e) a processor (29) for controlling the transfer of the digital image files from the removable memory card to the internal memory and for producing a print order information file;  
 5 (f) a display (24) coupled to the internal memory for displaying at least one digital image; and  
 (g) a user interface (34;38) including a plurality of user controls for scrolling through the plurality of digital image files stored on the removable memory card in order to display particular digital images and for selecting particular digital image files to be printed, wherein the print order information file identifies a plurality of digital image files stored on the removable memory card to be printed by the printing device (14;16;48) and the  
 10 processor stores the print order information file on the same removable memory card as the identified digital image files to be printed, but in a file separate from the digital image files.

2. The camera as claimed in claim 1 wherein the print order information file identifies the quantity of prints to be made from each of the identified digital image files.

3. The camera as claimed in claim 1 wherein the camera further produces a utilization file which identifies at least one digital image file to be transferred to at least one selected e-mail account.

4. The camera as claimed in claim 1 wherein print order information file further includes a camera user name and a mailing address of such camera user.

5. The camera as claimed in claim 1 wherein the removable memory card further stores at least one creative background, and the user interface enables selection of the at least one creative background to be combined with a particular digital image.

6. An electronic printing system (16) for printing images stored on a removable memory card, the electronic printing system comprising;

(a) a memory card interface (50) for receiving the removable memory card, the removable memory card having stored thereon a plurality of digital image files and a print order information file, the print order information file including the names of a plurality of digital image files stored on the removable memory card to be printed;  
 (b) a processor (50b) coupled to the memory card interface for reading the print order information file stored on the removable memory card and the digital image files identified in the print order information file; and  
 30 (c) a print engine (50c) coupled to the processor for producing prints of the plurality of stored digital image files identified in the print order information file.

7. The electronic printing system as claimed in claim 6 wherein the print order information file further includes a customer name and a mailing address of such customer.

8. The electronic printing system as claimed in claim 6 wherein the print order information file further includes the quantity of prints to be printed for each digital image file.

9. The electronic printing system as claimed in claim 6 wherein the print order information file further includes the size of the prints to be printed for each digital image file.

10. The electronic printing system as claimed in claim 6 wherein the print order information file further includes the file type of each digital image file.

11. The electronic printing system as claimed in claim 6 wherein the print order information file further identifies a template to be combined with a particular digital image file to form a composite image to be printed.

## Patentansprüche

1. Elektronische Stehbildkamera (12) zum Aufnehmen, Anzeigen und Auswählen von mittels einer separaten Druckvorrichtung zu druckenden Bildern, mit

a) einem Bildsensor (20) zum Aufnehmen einer Vielzahl von Bildern von Szenen und zum Erzeugen von

Bildsignalen in Abhängigkeit von den entsprechenden Szenen;

b) einem Analog-Digital-Wandler (22) zum Digitalisieren der Bildsignale, um digitale Bilder zu erzeugen;

c) einer entnehmbaren Speicherkarte (36) zum Speichern einer Vielzahl digitaler Bilddateien entsprechend den digitalen Bildern;

d) einem internen Speicher (32) zum Speichern mindestens eines anzuzeigenden digitalen Bildes;

e) einem Prozessor (29) zum Steuern der Übertragung der digitalen Bilddateien von der entnehmbaren Speicherkarte zum internen Speicher und zum Erzeugen einer Informationsdatei zu einer Bildbestellung;

f) einem mit dem internen Speicher verbundenen Display (24) zum Anzeigen mindestens eines digitalen Bildes, und

g) einem Benutzer-Interface (34; 38) mit einer Vielzahl von Bedienungselementen, mit denen der Benutzer durch die Vielzahl digitaler Bilddateien der entnehmbaren Speicherkarte blättert, um spezielle digitale Bilder anzuzeigen, und zum Auswählen spezieller, für den Druck vorgesehener digitaler Bilddateien, wobei die Informationsdatei zu einer Bildbestellung eine Vielzahl digitaler Bilddateien identifiziert, die auf der entnehmbaren Speicherkarte speicherbar und mittels der Druckvorrichtung (14; 16; 48) druckbar sind, und wobei der Prozessor die Informationsdatei auf derselben entnehmbaren Speicherkarte speichert, auf der auch die zum Drucken vorgesehenen, identifizierten digitalen Bilddateien gespeichert sind, jedoch in einer von den digitalen Bilddateien getrennten Datei.

2. Kamera nach Anspruch 1, **dadurch gekennzeichnet, dass** die zu einer Bildbestellung gehörende Informationsdatei die Anzahl an Bildern festhält, die von jeder der identifizierten digitalen Bilddateien herzustellen sind.

3. Kamera nach Anspruch 1, **dadurch gekennzeichnet, dass** die Kamera eine Nutzungsdatei erzeugt, die mindestens eine auf mindestens ein ausgewähltes E-Mail-Konto zu übertragende digitale Bilddatei identifiziert.

4. Kamera nach Anspruch 1, **dadurch gekennzeichnet, dass** die Informationsdatei zu einer Bildbestellung einen Namen und eine Zustelladresse des Kamerabenzers umfasst.

5. Kamera nach Anspruch 1, **dadurch gekennzeichnet, dass** auf der entnehmbaren Speicherkarte mindestens ein kreativer Hintergrund gespeichert ist und dass das Benutzer-Interface die Auswahl mindestens eines kreativen Hintergrunds ermöglicht, der mit einem speziellen digitalen Bild kombinierbar ist.

6. Elektronisches Drucksystem (16) zum Drucken von auf einer entnehmbaren Speicherkarte gespeicherten Bildern, mit

a) einem Speicherkarten-Interface (50) zum Aufnehmen der entnehmbaren Speicherkarte, auf der eine Vielzahl digitaler Bilddateien und eine Informationsdatei zu einer Bildbestellung gespeichert sind, wobei die Informationsdatei die auf der entnehmbaren Speicherkarte gespeicherten Namen einer Vielzahl auszudruckender digitaler Bilddateien umfasst;

b) einem mit dem Speicherkarten-Interface verbundenen Prozessor (50b) zum Lesen der auf der entnehmbaren Speicherkarte gespeicherten Informationsdatei zu einer Bildbestellung und der in der Informationsdatei identifizierten digitalen Bilddateien; und

c) einem mit dem Prozessor verbundenen Druckgerät (50c) zum Herstellen von Bildern der Vielzahl gespeicherter Bilddateien, die in der Informationsdatei zu einer Bildbestellung identifiziert sind.

7. Elektronisches Drucksystem nach Anspruch 6, **dadurch gekennzeichnet, dass** die Informationsdatei zu einer Bildbestellung einen Namen und eine Zustelladresse des Kunden aufweist.

8. Elektronisches Drucksystem nach Anspruch 6, **dadurch gekennzeichnet, dass** die Informationsdatei zur Bildbestellung die Anzahl der für jede digitale Bilddatei herzustellenden Bilder aufweist.

9. Elektronisches Drucksystem nach Anspruch 6, **dadurch gekennzeichnet, dass** die Informationsdatei zur Bildbestellung die Größe der für jede digitale Bilddatei herzustellenden Bilder aufweist.
10. Elektronisches Drucksystem nach Anspruch 6, **dadurch gekennzeichnet, dass** die Informationsdatei zur Bildbestellung den Dateityp einer jeden digitalen Bilddatei aufweist.
11. Elektronisches Drucksystem nach Anspruch 6, **dadurch gekennzeichnet, dass** die Informationsdatei zur Bildbestellung ein mit einer speziellen digitalen Bilddatei zu kombinierendes Template identifiziert, um ein zu druckendes zusammengesetztes Bild herzustellen.

## Revendications

1. Appareil de prise de vues fixe électronique autonome (12) destiné à capturer, afficher et sélectionner des images devant être tirées par un dispositif de tirage séparé, l'appareil de prise de vues fixe électronique comprenant :
  - (a) un capteur d'image (20) destiné à acquérir une pluralité d'images de scènes et destiné à produire des signaux d'images représentatifs des scènes correspondantes,
  - (b) un convertisseur analogique vers numérique (22) destiné à numériser les signaux d'images afin de produire des images numériques,
  - (c) une carte mémoire amovible (36) destinée à stocker une pluralité de fichiers d'images numériques correspondant aux images numériques,
  - (d) une mémoire interne (32) destinée à stocker au moins une image numérique devant être affichée,
  - (é) un processeur (29) destiné à commander le transfert des fichiers d'images numériques depuis la carte mémoire amovible vers la mémoire interne et destiné à produire un fichier d'informations de commande de tirage,
  - (f) un dispositif d'affichage (24) couplé à la mémoire interne destiné à afficher au moins une image numérique, et
  - (g) une interface d'utilisateur (34 ; 38) comprenant une pluralité de commandes d'utilisateur destinées à faire défiler la pluralité des fichiers d'images numériques stockés sur la carte mémoire amovible pour pouvoir afficher des images numériques particulières et destinées à sélectionner des fichiers d'images numériques particuliers devant être tirés, où le fichier d'informations de commande de tirage identifie une pluralité de fichiers d'images numériques stockés sur la carte mémoire amovible pour qu'ils soient tirés par le dispositif de tirage (14 ; 16 ; 48) et le processeur stocke le fichier d'informations de commande de tirage sur la même carte mémoire amovible en tant que fichiers d'images numériques identifiés devant être tirés, mais dans un fichier séparé des fichiers d'images numériques.
2. Appareil de prise de vues selon la revendication 1, dans lequel le fichier d'informations de commande de tirage identifie la quantité de tirages devant être réalisées à partir de chacun des fichiers d'images numériques identifiés.
3. Appareil de prise de vues selon la revendication 1, dans lequel l'appareil de prise de vues produit en outre un fichier d'utilisation qui identifie au moins un fichier d'image numérique devant être transféré vers au moins un compte de courrier électronique sélectionné.
4. Appareil de prise de vues selon la revendication 1, dans lequel le fichier d'informations de commande de tirage comprend en outre le nom de l'utilisateur de l'appareil de prise de vues et l'adresse d'expédition d'un tel utilisateur de l'appareil de prise de vues.
5. Appareil de prise de vues selon la revendication 1, dans lequel la carte mémoire amovible mémorise en outre au moins un arrière-plan créatif, et l'interface d'utilisateur permet la sélection du au moins un arrière-plan créatif pour qu'il soit combiné à une image numérique particulière.
6. Système de tirage électronique (16) destiné à tirer des images stockées sur une carte mémoire amovible, le système de tirage électronique comprenant,
  - (a) une interface de carte mémoire (50) destinée à recevoir la carte mémoire amovible, la carte mémoire amovible comportant mémorisée sur celle-ci une pluralité de fichiers d'images numériques et un fichier d'informations de commande de tirage, le fichier d'informations de commande de tirage comprenant les noms de

la pluralité des fichiers d'images numériques mémorisés sur la carte mémoire amovible à tirer,  
(b) un processeur (50b) couplé à l'interface de carte mémoire destiné à lire le fichier d'informations de commande de tirage mémorisé sur la carte mémoire amovible et les fichiers d'images numériques identifiés dans le fichier d'informations de commande de tirage, et  
5 (c) un moteur de tirage (50c) couplé au processeur destiné à produire des tirages de la pluralité des fichiers d'images numériques mémorisés, identifiés dans le fichier d'informations de commande de tirage.

7. Système de tirage électronique selon la revendication 6, dans lequel le fichier d'informations de commande de tirage comprend en outre le nom du client et l'adresse d'expédition d'un tel client.

8. Système de tirage électronique selon la revendication 6, dans lequel le fichier d'informations de commande de tirage comprend en outre la quantité de tirages devant être tirées pour chaque fichier d'image numérique.

9. Système de tirage électronique selon la revendication 6, dans lequel le fichier d'informations de commande de tirage comprend en outre la dimension des tirages devant être tirées pour chaque fichier d'image numérique.

10. Système de tirage électronique selon la revendication 6, dans lequel le fichier d'informations de commande de tirage comprend en outre le type de fichier de chaque fichier d'image numérique.

11. Système de tirage électronique selon la revendication 6, dans lequel le fichier d'informations de commande de tirage identifie en outre un gabarit devant être combiné à un fichier d'image numérique particulier afin de former une image composite devant être tirée.




FIG. 1





FIG. 1A








FIG. 1B



**FIG. 2**



**FIG. 3**



<p>— GLOBAL INFORMATION — (CUSTOMER NAME, ADDRESS, BILLING INFO, ORDER DATE)</p>
<p>— PRINT ORDER INFO — (SIZE, NUMBER OF COPIES, IMAGE REFERENCES)</p>
<p>— E-MAIL ORDER INFO — (E-MAIL ADDRESS, IMAGE REFERENCES)</p>
<p>— ALBUM ORDER INFO — (ALBUM HEADING, ACCESS, IMAGE REFERENCES)</p>
<p>— CREATIVE DETAIL — (TEMPLATE, USER TEXT, IMAGE REFERENCE, IMAGE CROPPING)</p>
<p>— IMAGE REFERENCES — (IMAGE FORMAT, IMAGE LOCATION)</p>

**FIG. 4**

